



Our ref: 48532 Contact officer: Ed Seymour Contact phone: (03) 9290 1886

GPO Box 520 Melbourne Vic 3001

Level 35, The Tower 360 Elizabeth Street Melbourne Vic 3000

tel: (03) 9290 1800 fax: (03) 9663 3699

www.accc.gov.au

26 July 2012

Ms Jane van Beelen Executive Director Regulatory Affairs Public Policy and Communications Telstra Corporation Limited

By email: <u>Jane.vanBeelen@team.telstra.com</u>

Dear Ms van Beelen

Required Measure 4 under Telstra's Migration Plan

I refer to your letter of 24 July 2012 regarding progress in relation to the development of Required Measure 4 (Building Copper Paths at Premises which had been permanently disconnected).

Telstra has advised that it proposes to commence consultation with its wholesale customers on this draft Required Measure within the next week. While Telstra's Work Plan indicated that this consultation would commence by mid-July, I do not consider that this delay will adversely affect wholesale customers provided that Telstra gives wholesale customers at least two weeks to provide any feedback they may have on this draft Required Measure. On this basis, I consider the updated timeframe for consultation to be acceptable.

The ACCC understands that Telstra will shortly provide an updated Work Plan that reflects this change in timing as well as those changes in relation to Required Measures 1(b) and 6 approved in my letter of 24 July 2012.

Should you have any questions, please contact Ed Seymour on (03) 9290 1886 or Evan Marginson on (03) 9658 6416.

Yours sincerely

, SIL

Michael Cosgrave Group General Manager

Communications Group